

MATERIAL SAFETY DATA SHEET

STRYUM SOLID ALUMINIUM

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: STRYUM SOLID ALUMINIUM

MANUFACTURER: Paneltec NZ LTD
ADDRESS: 10 Mako Street
Dargaville 0372
New Zealand

EMERGENCY PHONE: 111

CHEMICAL NAME: N/A

PRODUCT USE: Solid aluminium sheet material primarily for architectural facades

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT	CAS #	% WT	EXP LIMITS
Aluminum	NA	>99%	NA
Adhesive	NA	<1%	NA

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Cutting, grinding, and other machining operations may cause dust.
Processes involving heat may produce fumes.

ROUTES OF ENTRY: Absorption

POTENTIAL HEALTH EFFECTS

EYES: Dust, particles in air caused by machining. Always use eye protection.

SKIN: Irritation may develop in certain individuals.

INGESTION: ND

INHALATION: Irritation may develop in certain individuals.

CHRONIC HEALTH HAZARDS: Long-term overexposure to dust and fumes may cause congestion.

CARCINOGENICITY: NA

SECTION 4: FIRST AID MEASURES

EYES: Treat as you would any foreign particles in eyes. Do not rub eyes. Flush with water for 30 minutes. Seek prompt medical attention if required.

SKIN: Remove contaminated clothing. Do not itch or rub affected area excessively. Wash affected area with water. Seek prompt medical attention if required.

INGESTION: Contact Poison Control Center and seek prompt medical attention

INHALATION: Remove victim to fresh air. Seek prompt medical attention if required.

MATERIAL SAFETY DATA SHEET

STRYUM SOLID ALUMINIUM

SECTION 5: FIRE-FIGHTING MEASURES

FLASH POINT: NA

AUTOIGNITION TEMPERATURE: NA

NFPA HAZARD CLASSIFICATION

HEALTH: NA FLAMMABILITY: NA REACTIVITY: NA OTHER: NA

HMIS HAZARD CLASSIFICATION

HEALTH: NA FLAMMABILITY: NA REACTIVITY: NA OTHER: NA

PROTECTION: NA

EXTINGUISHING MEDIA: NA

SPECIAL FIRE FIGHTING PROCEDURES: NA

UNUSUAL FIRE AND EXPLOSION HAZARDS: NA

HAZARDOUS DECOMPOSITION PRODUCTS: NA

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: No special requirements

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Use proper lifting equipment. Avoid sharp edges.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

VENTILATION : Use proper ventilation and dust extraction equipment and methods conforming to local codes.

RESPIRATORY PROTECTION: Use approved respiratory equipment in the presence of fumes or airborne particles.

EYE PROTECTION: Always wear eye-protection in environments where there is potential for airborne or flying particles or debris.

SKIN PROTECTION: Avoid contact with skin by using protective clothing.

WORK HYGIENIC PRACTICES: Always use workplace hygiene best-practices, such as washing hands before eating, touching face, etc...

PAGE 2 OF 5

Date Issued: 01/07/2024

Version: 1.2

MATERIAL SAFETY DATA SHEET

STRYUM SOLID ALUMINIUM

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE:	Aluminum Sheet,
ODOR:	NA
PHYSICAL	Solid
pH AS	NA
BOILING	NA
MELTING	660 degrees Celsius
FREEZING	NA
VAPOR	NA
VAPOR	NA
SPECIFIC	NA
EVAPORATION	NA
SOLUBILITY IN	NA
VOLATILE ORGANIC COMPOUNDS (VOC):	NA

MATERIAL SAFETY DATA SHEET

STRYUM SOLID ALUMINIUM

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable under normal conditions of use

CONDITIONS TO AVOID (STABILITY): NA

INCOMPATIBILITY (MATERIAL TO AVOID): NA

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: NA

HAZARDOUS POLYMERIZATION: NA

CONDITIONS TO AVOID (POLYMERIZATION): NA

SECTION 11 :TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: NA

SECTION 12:ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: NA

SECTION 13: DISPOSALCONSI DERATIONS

WASTE DISPOSAL METHOD: 100% Recyclable.

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION PROPER

SHIPPING NAME: Extruded Aluminium Panel

HAZARD CLASS: NA

ID NUMBER: NA

PACKING GROUP: NA

LABEL STATEMENT: NA

WATER TRANSPORTATION

PROPER SHIPPING NAME: Extruded Aluminium Panel

HAZARD CLASS: NA

ID NUMBER: NA

PACKING GROUP: NA

LABEL STATEMENTS: NA

AIR TRANSPORTATION

PROPER SHIPPING NAME: Extruded Aluminium Panel

HAZARD CLASS: NA

ID NUMBER: NA

PACKING GROUP: NA

LABEL STATEMENTS: NA

PAGE 4 OF 5

Date Issued: 01/07/2024

Version: 1.2

MATERIAL SAFETY DATA SHEET

STRYUM SOLID ALUMINIUM

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): NA

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): NA

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT): NA

311/312 HAZARD CATEGORIES: NA

313 REPORTABLE INGREDIENTS: NA

STATE REGULATIONS: NA

INTERNATIONAL REGULATIONS: NA

SECTION 16: OTHER INFORMATION

DISCLAIMER:

The information contained in this MSDS was compiled using the latest and most reliable information available. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will any of the companies associated with Paneltec NZ LTD assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty express or implied regarding the product described herein shall be created by or inferred from any statement or omission from this MSDS. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.